

Watcherr Gateway G1-C

Indoor hub for all devices



watcherr

Product Overview

The Watcherr Gateway is your centralised solution for your Watcherr ecosystem. Designed to streamline communication and reduce battery usage on other connected devices, the Gateway ensures seamless connectivity.



Key Features

- **Centralised Hub:**
The Watcherr gateway serves as the central hub for all Watcherr devices, optimising communication and coordination among your safety network.
- **Battery Life Optimization:** By offloading certain functions to the gateway, the battery life of Watcherr Pro devices is extended, ensuring prolonged and reliable operation.
- **Secure Alarms and Monitoring:**
Connected through an ethernet cable, the gateway establishes a secure communication channel for alerts and monitoring data. Enjoy peace of mind with encrypted transmissions.
- **Power Options:** Choose between Power over Ethernet (PoE) or a traditional power cable to suit your setup. The gateway's flexible power options ensure compatibility with various infrastructure configurations.
- **Automatic Updates:**
Stay current effortlessly. The Gateway receives automatic updates to ensure that you always have the latest features, enhancements, and security protocols.

Technical specifications

General specifications

- Dimensions
(H x W x D) 150 x 150 x 36mm
- Weight approx:
155g
- Power supply: DC 5.0 (+/- 5%) Max.
5.5 Volts

Radios

- Wifi protocols: IEEE 802.11 b/g/n
- Frequency hopping 2.4Ghertz radio technology

Monitoring and control

- Watcherr installer dashboard
- Firmware upgrade over ethernet
- Device configuration over ethernet

Package content

- Watcherr Gateway G1-C
- Device manual
- USB Cable
- Fixing aid and screws

User interfaces

- Power socket
- Ethernet socket, PoE compatible
- ON/OFF Button
- LED Ring

Regulatory compliance

- CE
- REACH
- FCC



Contact

For further information about Watcherr
contact us on info@watcherr.com

Watcherr

Ninovesteenweg 198 b 32
9320 Erembodegem, Belgium